RESOLUTION NO 24-R-81

A RESOLUTION TO APPROVE THE FILTER LEAK REPAIR PROJECT WATER PARK

WHEREAS, the Tinley Park-Park District is located in Cook & Will Counties of Illinois, and

WHEREAS, there is a leak at a connection between the sand filter and the outgoing plumbing for the lazy river within the water park filter house that should be addressed; and

WHEREAS, this repair is a bigger task in that there is larger diameter piping involved at precise connections and that they are supported rigidly from the ceiling support system. The repair includes the plumbing as well as re-enforcing the support strutting. Proposals were obtained from three vendors with Spear Corp being the lowest. Please see attached proposals for this work; and

WHEREAS, staff recommends Filter Leak Repair Project to Spear Corp for \$11,227.37; and

WHEREAS, The Board of Commissioners of the Tinley Park-Park District finds that it is in the best interest of the District to approve the filter leak repair to Spear Corp for \$11,227,37.

NOW, THEREFORE, BE IT RESOLVED by the Commissioners of the TINLEY PARK-PARK DISTRICT as follows:

SECTION 1: The Preambles hereto are hereby made a part of, and an operative provision of, this Resolution as if fully restate herein.

SECTION 2: The Request attached hereto as Exhibit 1, and made a part hereof, is hereby approved.

SECTION 3: That this Resolution shall be in full force and effect on the date approved and passed by the Board of Commissioners of the TINLEY PARK-PARK DISTRICT.

Approved ar	nd passed this	10th da	ay of N	ovem	ber	_2024.
AYES:	5					

NAYS:	0	
ABSENT:_	0	_
ABSTAIN:_	ϕ	

TINLEY PARK-PARK DISTRICT

Marie Ryan

President, Board of Park Commissioners

Attest:

Ashley Rubino

Secretary, Board of Park Commissioners

EXHIBIT I RESOLUTION NO 24-R-81

LEFT BLANK ON PURPOSE EXHIBIT TO FOLLOW

SPEAR

A LANDMARK AQUATIC COMPANY 12966 N County Road 50 W Roachdale, IN 46172 765-522-1126

orders@spearcorp.com

Estimate

Date	5/31/2024
Account #	TIN000
Quote #	221118
Valid Through	6/30/2024
PO Required	No

Bill To	
Tinley Park-Park District 8221 W 171st St Tinley Park, IL 60477	

Ship To	
Tinley Park-Park District 8221 W 171st St Tinley Park, IL 60477	

Reference	Customer PO# Terms Net 30 Description		Ship Vi	Salesperson CB	
			Spear		
Item			Qty	Price	Extended
Tim Harvey	Tim Harvey			0.00	0.00
	E: timothy.harvey@	tinleyparkdistrict.org	f		
	0:	·		1	
	M: 708-310-9837		1		
856-120HD	1 * *	tone LID Colonia Colonia ta t	.1		
837-666-F-F-S	DVC Dushing Dad	tone HD Spigot Sch80 12 in Icing Flush SpigxS Sch80 Fab		267.42	267.42
237 000 1 1 2	12 x 6 in	icing riush SpigxS Schau Pab	'	612.13	612.13
854-060HD		tone HD S Sch80 6 in			
3901-120-D-S-	PVC, Tee S Sch80 1	DWV Fah 12 in		63.04	63.04
Custom	15400120 Boltpak 1		- []	1,121.18	1,121.18
800-060	PVC, Pipe Sch80 6		10	28.84	60.00 288.40
829-080	PVC, Coupler S Sci		11	85.82	288.40 85.82
154700060	Gaskets, 6 in		il	8.16	65.62 8.16
154700080	Gaskets, 8 in		il	12.76	12.76
801-100	PVC, Tee S Sch80 1		il	2,012.48	2,012.48
837-670-F-F-S	PVC, Bushing Redu	cing Flush SpigxS Sch80 Fab	il	321.10	321.10
	12 x 10 in				221.10
800-100	PVC, Pipe Sch80 10		10	60,56	605.60
837-628-F-F-S		cing Flush SpigxS Sch80 Fab	2	270.90	541.80
064 000175	10 x 8 in				1 2000
854-080HD	PVC, Flange Van St	one HD S Sch80 8 in	3	104.16	312.48
154700120 LABOR	Gaskets, 12 in		2	20.00	40.00
ZONE 4	LABOR - Prevailing	Wage Rates Included	1	3,440.00	3,440.00
MISC MATERIALS	TRIP CHARGE ZO		3	345.00	1,035.00
MISC MATERIALS	Plumbing Fitting D	MATERIALS - Glue, Primer, Boltpaks (10", 8", 6")	1	400.00	400.00
Notes	Score: Pensis of alu	mbing leak at top of sand	Ì		
	filter, continuationlu	mbing required		0.00	0.00
		3		Th	is is not an invoice
Amidet seeganal w2-					
Amiost seasonal peaks t longer than usual. We a working diligently to m	ppreciate your underst	lead times for certain products may anding and assure you that we're	y be Sales	Tax	\$0.00
	ze any delays in Oi	uer tuttilment.	To	otal	\$11,227.37